



**CANADIAN AUTOMOBILE SPORT CLUBS
ONTARIO REGION**

2014

ICE RACE REGULATIONS



Regulations

2014 Magnum Ice Race Series

© 2011-2014 All material in this document is strictly the copyright of CASC Ontario Region, and may not be reproduced without prior written permission.

The Rules and Regulations set forth herein are designed to provide for the orderly conduct of racing events and to establish minimum acceptable requirements for such events. These Rules and Regulations shall govern the condition of all CASC Ontario regional championships series ("RaceOntario") events, and by participation in these events, all Participants are deemed to have complied with these rules and regulations.

No expressed or implied warranty of safety shall result from publication of, or compliance with these rules and regulations. They are intended as a guide for the conduct of competition and in no way a guaranty against injury or death to Participants, spectators, or others.

Bold italicized text indicates significant changes or amendments.

CANADIAN AUTOMOBILE SPORT CLUBS
ONTARIO REGION
1100 Barmac Drive
Toronto, ON M9L 2X3
CANADA
office@casc.on.ca
Tel: (416) 667 9500
Fax: (416) 667 9555
Toll-Free In Canada: (877) 667-9505

<http://www.casc.on.ca>

Any amendments after the publication of this document will be posted on the official CASC website and the corresponding Ice Race Forum.

Contents

1.0	Organization	3
1.1	Permit Requirements	4
1.2	During a Competition	4
1.3	Officials	4
1.4	Duties of the Clerk of Course ('The Clerk')	4
1.5	Duties of the Chief Scrutineer	5
1.6	Mandatory Drivers Meeting	5
2.1	Eligibility & Preparation	6
2.1.1	Fuel	6
2.1.2	Bodywork	6
2.1.3	Chassis and Suspension	6
2.1.4	Engine and Transmission	6
2.1.5	Exhaust System	7
2.1.6	Brakes	7
2.1.7	Wheels	7
2.1.8	Interior	7
2.1.9	Fuel Tanks	7
2.1.10	Radiators	7
2.1.11	Ballast	7
2.1.12	Lights	7
2.1.13	Windows	7
2.1.14	Window Tint	8
2.1.15	Door Beams	8
2.1.16	Wipers	8
2.1.17	Horns	8
2.1.18	Rearview Mirrors	8
2.1.19	Windshields	8
2.2	Classes	8
2.2.1	Rubber to Ice	8
2.2.2	Second Driver Classes	9
2.2.3	RACING STUDS	9
2.2.4	STREET STUDS	9
2.3	Numbers	9
2.4	Bumpers	9
2.5	Tire Specifications	10
2.5.1	Rubber to Ice	10
2.5.2	RACING STUDS	10
2.5.3	Street Studs	10
2.7	Roll Bars and Roll Cages	11
2.7.1	Racing Stud Cars	11
2.7.2	Roll Bar Specifications	11
2.8	Seat Belts	11
3.0	Helmets	11
3.0.1	Specification	11
4.0	Technical Inspection	12
5.0	Events	12
5.1	Driver Eligibility	12
5.2	Licencing Procedure	12
5.3	Passenger Eligibility	12
5.4	Insurance	13
5.5	Waivers	13
5.6	Track Dimensions	13
5.7	Medical Staff , vehicals and fire response	13
5.8	General Provisions	14
6.0	Marshalling, flag and light signals	15
6.1	Marshalling	15
6.2	Flag and light Signals	15
6.2.1	Yellow Flag/light	15
6.2.2	Red Flag/light	15
6.2.3	Green Flag	15
6.2.4	Checkered Flag	15

6.2.5	Black and White Diagonal Flag	15
6.2.6	Black Flag	15
6.2.7	Black Flag with Orange Disk ('Meatball').....	16
6.2.8	Other Signals	16
6.3	Cones	16
7.0	Driver Behaviour	16
8.0	Grid Positions	16
9.0	Starting	17
9.1	Start/Finish Line.....	17
9.2	Last Lap Sign.....	17
9.3	Yellow Flag Practice	17
9.4	Restarts	17
10.0	Finishing	17
11.0	Results	17
12.0	Inquiries, Protests, and Appeals	18
12.1	Inquiries	18
12.2	Protests	18
12.3	Appeals	18
13.0	Ice Race Advisory Number	18
14.0	Ice Race Series Awards.....	18
15.0	Scoring.....	19
15.0.1	Points	19
15.0.2	Throwaways	19
15.0.3	Ties	19
16.0	Race Schedules.....	20
16.1.0	Roll Bars	23
16.2.0	Basic Design Considerations for All Bars	23
16.3.0	Dimensions and Materials for All Bars	23
16.4.0	Fabrication.....	24
16.5.0	Bracing	24
16.6.0	Mounting Plates.....	24
16.7.0	Removable Roll Bars	24
	Extract of the Agreement between Minden Hills and the Kinsmen Club of Minden, Inc.....	25

ATTACHMENTS

- Accommodation List
- Schedule and Daily Race Rotation
- Entry Form – Use as a master and photocopy



1.0 ORGANIZATION

The regulations contained herein cover the CASC-OR Ice Race Series and reflect the grass roots nature of ice racing. Prior to an event, the Ice Race Director ***in consultation with the ice race committee***, via a posted memo, shall give clarification of these Regulations if required.

Ice Race Director:

Heather Peckham- Hughes (TAC)
1258 Nichols Rd E,
Minden, Ont.
K0M 2K0
Home 705 286 6668
Email to: iceracedir@casc.on.ca

1.1 PERMIT REQUIREMENTS

All ice race events shall be run under a permit issued by CASC-OR Ontario Region Office.

1.2 DURING A COMPETITION

In the event of doubt or ambiguity in the wording and intent of these Regulations and/or supplementary regulations, the interpretation of the Clerk of the Course and the Steward of the Event shall prevail and shall be binding upon all parties except as provided under the protest and appeal procedures established by CASC-OR.

1.3 OFFICIALS

1.3.1 The organizer for each Event shall appoint a Clerk of the Course and a Scrutineer, each with, at minimum, a CASC-OR Grade B license.

1.3.2 CASC-OR shall appoint a Steward of the Event.

1.3.3 The same person may hold more than one official position except that the Clerk of the Course and the Steward of the Event shall have no plurality of duties.

1.4 DUTIES OF THE CLERK OF COURSE ('THE CLERK')

1.4.1 The Clerk shall be present throughout the Competition in order to carry out the specified duties. In the case of an Event comprising several Competitions there may be a different Clerk of the Course for each Competition.

1.4.2 The Clerk is responsible for executing the Event and other activities safely and in accordance with the Regulations, by controlling Drivers, their Cars, the Officials, and workers from the commencement of activities until the time for protests from the last Competition has expired and shall:

- a) Ensure that all relevant Regulations are complied with and that all the equipment needed to do so is at hand or in use as appropriate;
- b) Keep order in conjunction with such police authorities as have undertaken the policing of the Event and who are specially responsible for public safety;
- c) Ascertain whether Officials are at their posts, and report the absence of any of them to the Steward of the Event.
- d) Ensure that all Officials are provided with necessary information.
- e) Prevent an ineligible Driver or Car from competing.
- f) Ensure that a Competitor unable to produce any document necessary to prove his/her eligibility at an Event does not compete without the approval of the Steward of the Event;
- g) Ensure that every accident or incident involving a competing vehicle is reported to the Steward of the Event and the Chief Scrutineer, and that the Chief Medical Officer is informed if any Competitor is injured;
- h) Report to the Steward of the Event before the start of the Event that the conditions of the permit and Course license (where appropriate) have been fulfilled. Before making such a report the Clerk of the Course, or an appointed deputy, shall inspect the Course and its installations;
- i) Convey to the Steward of the Event any proposal to modify the schedule of Competitions;
- j) Receive protests from Drivers and immediately transmit them to the Steward of the Event;
- k) Collect reports and other official information necessary for the determination of results;
- l) Prepare, or arrange with the Secretary of the Meeting to prepare any information necessary to enable the Steward of the Event to complete the Steward's report;

- m) Convey to the Steward of the Event a report of any breach of the Regulations or of any misbehavior of any Driver, Crew, Official or worker. This report may be accompanied by a "Request for Action";
 - n) Make arrangements in conjunction with the Chief Medical Officer for medical checks to be carried out in respect of narcotics, dangerous drugs or alcohol;
 - o) Authorize removal of technical inspection stickers;
 - p) Direct Cars to be impounded at any time during the Event;
 - q) **Fill out the required "series Clerk report", to pass on to subsequent clerks and for inclusion in the Steward's report in order to afford maximum communication and standardize enforcement throughout the series and for the steward report.**
- 1.4.3 Request for Action
The Clerk of the Course may submit to the Steward of the Event a "Request for Action" describing a suspected breach of the Regulations or of misbehavior by any Participant. The Steward of the Event shall act on this request in the same manner as they would act on a protest, and shall have the same authority to levy penalties as in a protest.
- 1.5 DUTIES OF THE CHIEF SCRUTINEER
- 1.5.1 The Chief Scrutineer shall ascertain that all Cars comply with the Regulations. Specifically, he or she shall:
- a) Check that all Drivers are equipped with the safety equipment required by the Regulations;
 - b) Conduct inspections of Cars at the request of the Clerk of the Course;
 - c) Report to the Series Scrutineer any Cars that do not conform to requirements of the Regulations;
 - d) Communicate official information only to the Clerk of the Course, the Steward of the Event and CASC-OR.
- 1.5.2 The Chief Scrutineer shall make a written report to the Clerk of the Course in respect of all Cars examined noting those accepted and those rejected and the reasons for rejection.
- 1.5.3 The Chief Scrutineer of The Event shall be the Judge of Fact in respect of technical matters.
- 1.6 MANDATORY DRIVERS MEETING
- 1.6.1 Each club organizer shall ensure that a drivers meeting is held outside registration at the times posted on the race schedule.
- 1.6.2 The organizer shall ensure that all officers of the day, including the Steward, the Clerk of the course, the chief scrutineer, the chief medical officer, the chief marshal and the Ice Race Director are in attendance before the meeting begins.
- 1.6.3 The organizer shall ensure that a 10 min warning is given to all drivers in the paddock areas.
- 1.6.4 Deleted

2.1 ELIGIBILITY & PREPARATION

Modifications designed to extend the life of the Car, minimize damage, or simplify repairs are generally acceptable. Extensive modifications designed primarily to improve performance are discouraged or prohibited.

“Specials” and “Modified” cars are those that do not conform to rules, 2.1.2 a), d) and e), and 2.1.3, but DO conform to all other rules and requirements.

2.1.1 FUEL

Cars shall use commercially available fuel.

2.1.2 BODYWORK

- a) Bodies shall retain the same general appearance and dimensions as the production car.
- b) Wings, deflectors etc. are allowed provided that they are sturdy and well constructed and do not project beyond the Car width.
- c) All lights, reflectors, decorative trim, etc., shall be removed.
- d) Hoods, fenders, trunk lids etc. shall be in place, but may be replaced with similar appearing items of alternative material. Fiberglass is not recommended for fenders.
- e) Wheel wells may be extended to provide tire clearance; OR fenders may be flared to a maximum of 100mm (4") wider than the original components. In both cases, a solid partition shall exist between the wheel well area and the interior trunk or engine compartment.
- f) Sunroofs: A sunroof constructed of metal shall remain closed while the Car is on the track. A sunroof constructed of glass, plastic or Plexiglas shall be removed and replaced with a solid metal structure.

2.1.3 CHASSIS AND SUSPENSION

- a) Substitution or extensive modification of the chassis is prohibited.
- b) Suspension type and design shall remain stock. Mounting points may be altered, but for each wheel, at least one suspension mounting point shall remain stock.
- c) Springs and shocks are free except that the number and type may not be altered. For both springs and shocks, at least one end shall remain mounted in the stock position.

2.1.4 ENGINE AND TRANSMISSION

- a) Engines, transmissions, and differentials are free.
- b) Engine capacity may be increased or reduced provided that it remains within the class limits.
- c) Crankshafts, camshafts and valves are free except that the number and location may not be altered.
- d) Porting, polishing, balancing, blueprinting, etc. are permitted.
- e) Carburetion and fuel injection are free.
- f) Turbo charging or supercharging is free.
- g) Ancillary devices, e.g. alternator, fuel pumps, fans, plugs, ignition, filters, belts, etc. are free.

2.1.5 EXHAUST SYSTEM

- a) It shall exit beyond the bodywork, and rearward of the driver's/passenger's position.
- b) It shall be securely attached and either be fastened to the chassis in two or more places, or with a safety chain/wire every 1 meter (3 feet) of pipe beyond the headers.
- c) A muffler attached to the exhaust system is mandatory. The maximum exhaust noise level shall be 109dBA at half the engines redline measured 20 inches and 45 degrees from the exhaust emission point(s) of the Car. The SAE method of measurement shall be used utilizing an "A" weighted sound meter. **Three throttle blips shall also be measured to simulate the engine under load.**

2.1.6 BRAKES

Brakes are free. There shall be functional **and effective** brakes at each wheel.

2.1.7 WHEELS

Wheels are free except that:

- a) Cars shall have only four wheels and four tires.
- b) Rim widths shall be small enough that the tires are clear within the fender openings

2.1.8 INTERIOR

- a) Seats are free, but shall be securely attached, and a head restraint shall be provided for the driver and passenger.
- b) Interior panels, carpeting etc. may be removed or replaced provided that there are no sharp edges or protuberances.
- c) Cars shall be equipped with a grab handle for the passenger.
- d) Batteries may be located within the driver's compartment provided that they are extremely well secured, and are contained within a "marine-type" box.

2.1.9 FUEL TANKS

- a) There shall be a firewall between the fuel tank and the driver's compartment, and also between the fuel tank and the engine compartment.
- b) All fuel tanks shall be "spill proof", i.e. there shall be little or no leakage when the car is inverted.

2.1.10 RADIATORS

Radiators if mounted inside the Car shall be separated from the driver and passenger by a firewall.

2.1.11 BALLAST

Ballasting is permitted. Ballast shall be securely bolted or welded to the chassis or bodywork.

2.1.12 LIGHTS

Cars shall have one clearly visible 55 watt halogen rearward facing, amber running light and at least one clearly visible 24 watt rearward facing red brake light. It is strongly recommended that these lights be mounted in a location where they will not be damaged by minor impacts. In or above the rear window is recommended. The running light shall be on during races.

All Racing Stud "Menard" Class cars shall have a mandatory amber.

2.1.13 WINDOWS AND WINDOW NETS

Cars shall run with driver's and passenger's side windows closed. Cars having no side windows shall be equipped with a window net for each occupant. Window nets that bear an "SFI Spec 27.1" label are acceptable. **Permanent** window net(s) shall be installed as per diagram "Window Net Installation" in Appendix B herein.

2.1.14 WINDOW TINT

Factory window tint only shall be permitted. No aftermarket tinting is allowed. Cars which competed with tinted windows in 2008 are exempt.

2.1.15 DOOR BEAMS

All cars shall be fitted with side beam protection.

2.1.16 WIPERS

Front windshield wipers shall be operable.

2.1.17 HORNS

The use of car/air horns or any other sound signaling device on the Minden Fairgrounds is prohibited.

2.1.18 REARVIEW MIRRORS

Each vehicle shall be equipped with at least one rear facing mirror.

2.1.19 WINDSHIELDS

Windshields shall be stock glass. If a damaged windshield is removed the driver shall wear a full-face helmet with visor. Cars without a windshield shall not carry passengers. Windshields shall be replaced with stock glass before the car enters another event.

Lexan may be used however must remain in a clear, scratch free condition.

Plexiglas shall **not** be used.

Windshields with a crack, or cracks, that do not go all the way through, or are found to be in the driver's viewing area, shall be left to the discretion of the weekend scrutineer and/or series scrutineer as to replacement.

2.1.20 MUD FLAPS

It is highly recommended for all Racing Stud Class cars that mud flaps be used on all drive wheels (at minimum). However, the use of mud flaps is not limited to Racing Stud class cars and may be used on any car in any class.

There are no specifications as to what type of mud flaps may be used (molded plastic, rubber, grass skirt style), only that they be securely fastened/mounted, do not exceed the bodyline of the car by more than ½ inch and are no less than 2" from the ice surface with the driver in the car.

2.1.21 TOWING HOOK

All race cars shall have a solid tow hook or equivalent at both the front and rear of the vehicle.

2.2 CLASSES

2.2.1 RUBBER TO ICE

CLASS 1: All rear wheel drive up to 4801 mm or 189" overall length as measured at the racetrack.

CLASS 2: Front engine, front wheel drive up to 3000 cc

CLASS 4: Specials, modified, and 4WD, up to 3000cc

Cars from class 2 and 3 from the previous year are combined, the class will be shown as Class 2 on the race schedule.

2.2.2 SECOND DRIVER CLASSES

CLASS 11: Second driver in Class 1 Cars
CLASS 12: Second driver in Class 2 Cars
CLASS 14: Second driver in Class 4 Cars

Cars from class 12 and 13 from the previous year are combined, the class will be shown as Class 12 on the race schedule.

2.2.3 RACING STUDS "MENARD"

CLASS S1: Cars conforming to Class 1
CLASS S3: Cars conforming to Classes 2 & 3
CLASS S4: Cars conforming to Class 4

2.2.4 STREET STUDS

CLASS SS1: Cars conforming to Class 1
CLASS SS2: Cars conforming to Classes 2
CLASS SS4: Cars conforming to Class 4

STREET STUD SECOND DRIVER CLASSES

Class SS11: Cars conforming to Class 1
Class SS12: Cars conforming to Class 2
Class SS14: Cars conforming to Class 4

2.2.5 All Cars with "on demand" 4WD shall run in Class 4.

2.2.6 Cars shall compete in the class to which they conform, e.g. Class 4 Cars may not run in Class 2.

2.2.7 Specials and modifieds shall race with class 4 but be scored separately.

2.3 NUMBERS

2.3.1 Competition numbers shall be roof mounted so that the number is visible from both sides of the Car. In addition, a forward facing number board measuring at a maximum height of 6" with numbers not less than 4" in height shall be attached to the main roof number. Specifications for numbers are outlined in APPENDIX A herein. All numbers shall be neat, crisp and uniform on the boards and either cut from vinyl or painted on. Absolutely NO crayon, markers, electrical/duct tape shall be used for number boards.

2.3.2 Numbers are issued to the driver not the Car. All numbers shall be registered.

2.3.3 Rookies shall have a 127mm (5 inch) orange triangle on a white background located on **a separate mount** and it shall be rearward facing **at the rear of the roofline**. A rookie is defined as anyone who has not previously competed in more than one Ice Race event **and shall race with said triangle for the entire season.**

2.3.4 Only the numbers 0 through **199** shall be permitted. **The numbers 00 through 09 will be phased out after the 2013 season.**

2.3.5 Number registration shall be carried over to the following year unless the driver does not enter an Ice Race Event in the year for which the number is registered. The driver shall notify the number registrar if a number is no longer needed.

2.3.6 New registered numbers may be obtained from the Ice Race Director or online at www.casc.on.ca (**member's area**).

2.4 BUMPERS

2.4.1 Bumpers shall be designed not to hook or lock together with bumpers on another Car. Bumpers shall be securely fastened to the car.

- 2.4.2 Bumpers are not required but are strongly recommended. If bumpers are removed, all brackets and other protrusions shall also be removed. However, the original bodywork shall be left in place so as to protect fuel tanks.
- 2.4.3 Stock bumpers may be used but shall have the gap between bumper and fender bridged with durable material (e.g. old tire tread) so as to prevent hooking. All corners shall be covered with a securely fastened, durable resilient material, such as old tire tread, to eliminate any sharp edges. With the exception of the aforementioned changes, no other modifications are required for stock bumpers.
- 2.4.4 Modified or fabricated bumpers shall meet the following criteria:
- a) Front bumpers shall not exceed 52mm in thickness or 204mm in height.
 - b) Rear bumpers shall not exceed 52mm in thickness or 460mm in height .
 - c) Both front and rear bumpers shall not be wider than the car and shall be constructed to prevent hooking by bridging the gap between the bumper and the fender with durable material (egg. old tire tread).
 - d) The ends of the bumper shall be rounded or chamfered, as viewed from above. The minimum radius for rounded ends is 150 mm. The minimum length of a chamfer is 200 mm and the angle of the chamfer must be 45 degrees +/- 10 degrees.
 - e) The contact surface of the bumper shall be smooth with no protrusions except bolt heads. All corners shall be covered with a securely fastened, durable resilient material, such as old tire tread, to eliminate any sharp edges.
 - f) ***Exterior side protection is not permitted.***
 - g) The bottom of front and back bumpers shall not exceed a height of 406mm (16 inches) from the track level.

2.5 TIRE SPECIFICATIONS

2.5.1 RUBBER TO ICE

Any commercially available rubber tires may be used. Tires may not be modified by the insertion of other materials. Tires that already have such materials embedded in them from the manufacturer are permitted. Tractionizing is permitted.

2.5.2 RACING STUDS

“Menard” brand tires shall be used.

2.5.3 STREET STUDS

- a) All tires shall be purchased any Canadian Tire Stores in Ontario.
- b) Tires shall not to be modified in any way. Only tire pressures can be adjusted.
- c) **Only Hankook iPike RC01 and /or Sailun Ice Blazer WST1 tires shall be used. Available exclusively at Canadian Tire and shall be branded with the Canadian Tire skew number on the sidewall.**
- d) The studs shall be made of steel and have the size number TSMI 13 LWS available (only) from Bruno Wessel. The body of the stud shall not protrude more than 1 millimeter from the tread block. Studs shall be inserted by either the Canadian Tire Store in Minden or a third party.
- e) Studs shall not be modified in any way.
- f) **Gluing of studs is allowed, limited by the the stipulation that the glue added does not alter the stud pocket depth.**

- g) At least once per weekend, after any given SS race, the top three class finishers will be pulled aside after their race and have a stud pulled from one of their drive tires to verify that the stud is within spec. This means a maximum of six studs over the course of the season for any one car. PENALTIES: first offence – points taken away for the weekend
second offence – season ban**

2.7 ROLL BARS AND ROLL CAGES

A roll cage is recommended for all Cars.

Cars without permanently fixed steel roofs shall be equipped with a roll cage.

Cars with a metal 'Targa' roof, i.e. a single removable roof section, may run without a roll cage if the roof section is secured with its locking mechanism and secured metal to metal with nuts and bolts no more than six inches apart. To ensure full metal to metal contact it may require the use of a bushing between the vehicle roof and the 'Targa' roof panel.

2.7.1 RACING STUD CARS

All cars competing in the racing stud class shall be equipped with a full roll cage that meets the minimum specifications outlined under the Race Ontario rules, Appendix 'O', included in this rulebook or on the CASC-OR website. All roll cages may be subject to approval by the Series Scrutineer.

2.7.2 ROLL BAR SPECIFICATIONS

Roll bars shall comply with the Specifications in APPENDIX C herein.

2.8 SEAT BELTS

2.8.1 Drivers and passengers shall wear seat belts during competition.

2.8.2 For Rubber to Ice and Street Stud Classes a minimum of a three-point safety harness shall be installed.

2.8.3 For Racing Stud Classes a minimum of a four-point harness utilizing four anchoring points shall be installed. "Y" belts are not permitted in Racing Stud Classes.

2.8.4 Material shall be Nylon or Dacron polyester and in new condition.

2.8.5 Minimum width shall be 52 mm or 2 inches.

2.8.6 It is strongly recommended that a minimum four-point harness be used when the passenger is 9 to 14 years of age.

3.0 HELMETS

3.0.1 SPECIFICATION

All drivers and passengers shall use a helmet conforming to:

- a) Snell 2000M or SA (valid until 03/31/2015)
- b) Snell 2005M or SA (valid until 03/31/2020)
- c) Snell 2010M or SA (valid until 03/31/2025)

- d) **Snell SAH** (valid until 03/31/2015)
- e) **SFI 31.1 through 32.2A** (valid until 03/31/2015)
- f) **BS6658-85 type A/FR (British Standard)** (Valid until 03/31/2015)

3.0.2 The Scrutineer may disallow any helmet showing outward signs of damage.

4.0 TECHNICAL INSPECTION

4.0.1 Every Car and every helmet shall be presented to the Scrutineer for inspection prior to its first practice or race of the season.

4.0.2 Cars need not be re-inspected each weekend, but the Scrutineers may re-inspect any Car and any helmet at any time during any event.

4.0.3 Cars shall be presented for inspection in race trim. General appearance shall be clean and neat and an effort shall be made to maintain this condition throughout the season. Organizers shall refuse entry of Cars not meeting acceptable standards.

4.0.4 The responsibility for the mechanical safety of the Car rests with the driver.

5.0 EVENTS

5.0.1 All events shall be run under the CASC-OR General Competition Rules, the regulations printed herein. Bulletins issued by the Ice Race Director and supplementary regulations issued by event organizers.

5.0.2 The organizing club reserves the right to amend the schedule of events subject to the requirements of the GCR.

5.1 DRIVER ELIGIBILITY

5.1.1 Drivers shall hold a current CASC-OR BASIC "DRIVER" license or higher rated CASC-OR or ASN Canada FIA competition license. Other Licences, e.g., CARS, SCCA and FIA, may be recognized at the discretion of CASC-OR.

5.1.2 Drivers shall present their Competition license and a valid Provincial, State or International road license at registration.

5.1.3 Written parental consent in the form of a signed minor waiver, is required for drivers under the age of 18 years.

5.1.4 Drivers shall complete one full season in either Rubber to ice or Street studs before competing in the full "Menard" racing stud classes.

5.2 LICENCING PROCEDURE

5.2.1 Drivers shall be members of a CASC-OR member Club. Memberships can be obtained on-line at www.casc.on.ca

5.2.2 Licenses shall be obtained prior to the beginning of the season from the CASC-OR office or online at www.casc.on.ca (member's area).

5.2.3 ***Licenses will not be issued at the track.***

5.3 PASSENGER ELIGIBILITY

5.3.1 ALL PASSENGERS

One passenger is permitted in all Classes. Passengers' helmets shall be scrutineered.

5.3.2 PASSENGERS WHO ARE MINORS

Minors are defined as children who have passed their 9th. birthday and have not yet reached their 18th. birthday.

Minors who have not passed their 14th. birthday may be passengers in Rubber to Ice and Street Stud Classes only.

Before the minor may participate in an event, an ASN Canada FIA Annual Parental Consent Waiver shall be completed, signed by at least one parent/guardian and witnessed. A Minor Event Waiver shall be completed by the specified minor at every event.

The helmet, seat and seatbelt or harness shall fit the passenger. The use of a harness is recommended.

Minors who have passed their 14th. birthday may be a passenger in a car driven by any driver.

Minors who have passed their 9th. birthday but have not yet reached their 14th. birthday shall ride with their parent or legal guardian only. These minors shall have a sticker affixed to the right side of their helmet. This sticker shall show the number of the Driver with whom this minor is eligible to ride.

5.4 INSURANCE

Insurance covering competitors, crews, sponsors, officials, etc., shall be provided by the organizers as required by CASC-OR.

5.5 WAIVERS

5.5.1 All officials, drivers, passengers and pit crews shall sign the waiver supplied by the insurance company.

5.5.2 All passengers shall be listed on the passenger log form along with address and telephone number and the number of the car in which they will ride.

5.5.3 No guarantee of the safety and condition of the ice is given or implied in any way whatsoever by CASC-OR, the organizing club, **The township of Minden Hills, the Minden Kinsmen Club** or any official of the above.

5.6 TRACK DIMENSIONS

5.6.1 The minimum width of any ice racing track shall be 8 metres. It is recommended that the track be wider if possible. Under extreme conditions, the Clerk of the Course and the Steward of the Event may approve a track that is less than 8 metres wide.

5.6.2 The minimum height of the snow banks surrounding the exterior of any ice racing track shall be one metre.

5.6.3 The minimum width of any snow bank surrounding any ice racing track shall be 1.5 metres.

5.7 MEDICAL STAFF, VEHICLES AND FIRE RESPONSE.

The following minimum medical staff, emergency vehicles and equipment are mandatory during all Competition.

5.7.1 One Physician or Registered Nurse or EMT or Paramedic or equivalent approved by CASC-OR, to act as Chief Medical Officer, trained in and equipped for life support procedures. The Chief Medical Officer shall be at the Race Track during all Competition and shall not participate in any competition.

5.7.2 One van or sport utility vehicle or station wagon or equivalent, for the exclusive use of the Chief Medical Officer. This vehicle may be used to transport a patient, only at the discretion of the Chief Medical Officer, and only within the Minden Fairgrounds. This vehicle shall be equipped with short and full backboard, head immobilizer, cervical stabilization, airway management kit, first aid kit, two (2) 20lb and one (1) 10 lb. fire extinguisher.

5.7.3 One van or sport utility vehicle or station wagon or equivalent equipped with tow ropes, one (1) 20lb and one (1) 10lb fire extinguisher.

5.7.4 A telephone to request 911 emergency services from Police, Medical and Fire.

For 911 calls, Minden Fairgrounds - 186 Bobcageon Road, Minden.
For serious injuries ASN phone and fax numbers: Tel. 905 403 9000
Fax 905 403 8448

5.7.5 One (1) 10 lb. fire extinguisher at the following locations: -

At each warning signal location

At the in-field tower

At the track exit to the paddock

At the mock grid

5.7.6 Where one or more fire extinguishers have been discharged at incidents, and cannot be replaced, the Stewards shall approve re-distribution of the remaining extinguishers.

5.8 GENERAL PROVISIONS

5.8.1 Rubber-to-ice, Racing Stud and Street Stud Cars shall not practice or race together.

5.8.2 Drivers are responsible for the actions of their crew.

5.8.3 Cars left at the track overnight or during the race season shall have keys removed and in addition shall be disabled by one of the following methods:

- a) Remove battery;
- b) Remove wheels
- c) Hidden extra ignition switch
- d) "Club" steering wheel lock
- e) Chain and padlock through vital parts

5.8.4 If the event is cancelled for reasons of safety, or bad weather, the organizers shall obtain the agreement of the Ice Race Director regarding the disposition of entry fees.

5.8.5 All cameras and recorders in any competing Car shall be securely fastened and approved by the Scrutineer before going on the track.

5.8.6 A speed limit of 8 kph is in effect in the paddock at all times. All practice and warming up is to be done on the track in sessions provided for the purpose.

5.8.7 *At no time, is an Ice Race car allowed to leave the fairground property onto Bobcaygeon road under its own power. Failure to comply with this rule will result in exclusion from the series.*

5.8.8 Competitors are prohibited from littering and polluting the fairgrounds. Special care shall be taken with regards to fluids. It is recommended that Competitors have a supply of "kitty litter" to soak up any spills. Containers shall be used to dispose of used oil, etc.

5.8.9 Cars shall prominently display the Series sponsor(s) decals provided so as to be clearly visible from both sides of the Car. Cars shall also display a CASC-OR decal on each side of the car.

5.8.10 When a Car becomes stuck in a snow bank or otherwise disabled, and, if after two laps of the leader, the situation has not been remedied, both the driver and passenger shall remain inside the car with helmet and safety belts secured until the race has ended. Under no circumstances shall anyone be allowed on the trackside of a disabled car.

5.8.11 Cars may not leave the track by the track exit or entrance during a race. Disabled Cars leaving the track during a race shall exit the track into the pit lane in the infield behind the starter's stand.

5.8.12 Other than during Competition, Cars may be run on the track, only with the permission of the Clerk of the Course or the Minden Kinsmen, Saturdays from 9:00 am – 6:00 pm and Sundays from 12:00

noon – 6:00 pm. Failure to obtain this permission before entering the track at any time may be considered grounds for exclusion from the Event or the Series.

- 5.8.13 All cars remaining at the Minden fairgrounds 7 days after the last race become the property of the Minden Kinsmen and shall be removed at the competitor's expense.

6.0 MARSHALLING, FLAG AND LIGHT SIGNALS

6.1 MARSHALLING

- 6.1.1 The location of the marshal Station and Light Positions shall be approved by CASC-OR. Marshals shall be responsible for flagging and communications, for maintaining a safe course by:

- a) Informing Drivers, through flags or other signals, of the condition of the course, the condition of their Cars or any other situations affecting the safe running of the event;
- b) Informing Race Control of the condition of the course and the Cars and situations requiring decisions and/or action by Race Control;
- c) Undertaking emergency action as required, protecting the lives and property of Drivers in the event of an incident.
- d) Only in the event of a roll over the marshal at the incident shall have the authority to display the red flag and/or light.
- e) Ensure that the marshalling lights are kept clean
- f) ***It is recommended that no less than five marshals be in attendance during an event, not including the starter and assistant starter, should there be a need to place marshals at the corners in the event of a signal system malfunction.***

6.2 FLAG AND LIGHT SIGNALS

6.2.1 YELLOW FLAG/LIGHT

Waved or steady means danger, use caution, **NO OVERTAKING**, this flag/light is used to signal a dangerous situation of any type. Overtaking is forbidden on that part of the track between the yellow flag/light and **past the dangerous situation by two car lengths**. The flag shall be waved/flashing for one lap, held steady for one lap and then removed provided that the situation in the corner has not changed.

6.2.2 RED FLAG/LIGHT

The race has been stopped. Cars shall pull over to either side of the track as safely as possible leaving the centre clear for emergency vehicles, and proceed to the start/finish only when the red flag/light has been removed. The red flag/light shall be displayed at all stations. Subsequent display of a yellow flag or light means to continue slowly to the front straight for direction.

6.2.3 GREEN FLAG

Start of race or disappearance of a dangerous situation previously indicated by a yellow flag/light.

6.2.4 CHECKERED FLAG

Signals end of the race or session.

6.2.5 BLACK AND WHITE DIAGONAL FLAG

Shown at the Start/Finish line accompanied by a number. Informs driver that his/her conduct or driving has been observed as un-sportsmanlike. It is a warning. If the behaviour continues the driver may be shown the Black Flag.

6.2.6 BLACK FLAG

- Shown at the Start/Finish line accompanied by a number. Informs driver to report to the "pit lane" at the conclusion of the current lap and await instructions of officials.
- 6.2.7 BLACK FLAG WITH ORANGE DISK ('MEATBALL')
- Shown at the Start/Finish line accompanied by a number. Informs driver that the Car has mechanical problems likely to be dangerous. Driver shall report to the infield pit lane behind the starters position at the conclusion of the current lap, to await instructions of officials.
- 6.2.8 OTHER SIGNALS
- a) Furled, crossed, green, and yellow flags shown at the Start/Finish line mean halfway through the race.
 - b) Two furled flags pointed up and alternately moved up and down at the Start/Finish line mean 2 laps remaining.
- 6.3 CONES
- 6.3.1 When cones are used on the track they also define the edge of the track and shall not be purposely hit or run through. The area the cones cover is considered out of bounds and a driver shall not run between the snow bank and the cones. When cones are used, there shall be a parade lap to familiarize the drivers with the cone placement.
- 7.0 DRIVER BEHAVIOUR
- 7.0.1 Competitors shall avoid physical contact with other competitors' cars.
- 7.0.2 Competitors have a right to "racing room" on the racetrack. "Racing room" is defined as sufficient space on the racetrack to allow competitors to maintain control of their cars in close quarters, under racing conditions
- 7.0.3 Competitors shall preserve the right of their fellow competitors to "racing room" on the racetrack. Abrupt changes in direction so as to impede or affect the path of a car attempting to overtake or pass may be interpreted by Officials as an attempt to deprive a fellow competitor of his right to "racing room".
- 7.0.4 Overtaking drivers are responsible for the decision to pass another car and to accomplish it safely. Overtaken drivers shall be aware that they are being overtaken and shall not deliberately impede the overtaking car.
- 7.0.5 ***Persistently diving into, bouncing off, or rebounding off the snow banks is not permitted and will be considered unsportsmanlike conduct.***
- 8.0 GRID POSITIONS
- 8.0.1 Grid positions for first round non-points heats shall be determined by draw by the organizer of the hosting club. For multi-class heats.
- 8.0.2 Subsequent points heats shall be gridded in order of the finishing position in the previous heat regardless of class. Late entries and late arrivals at the mock grid shall start at the rear of the grid. All entries received on Sunday are considered new entries and shall be gridded at the rear in the order received.
- 8.0.3 Cars shall be positioned on the mock grid in grid order and in a line from pole sitter to last Car. When Cars arrive at the starting grid, on the track, they shall be pointed to right or left for the correct starting position.
- 8.0.4 The driver having pole position shall have the choice of the inside or outside pole position. This request shall be made to the Grid Marshal at least 5 minutes prior to cars leaving the mock grid. Only the front row of the grid shall be affected by this choice, with all subsequent positions from 3rd back remaining unchanged.

- 8.0.5 Cars shall not be gridded closer than 2 metres side-to-side nor closer than 3 metres front to back.
- 8.0.6 If a grid space develops after the cars are gridded on the track it shall remain vacant.
- 8.0.7 If extra time is needed between races to change tires, it is the Driver's responsibility to inform the mock grid marshal of the need for extra time. This request shall be made each time extra time is needed.

9.0 STARTING

- 9.0.1 A standing start shall be used in all races. The starter will raise the green flag, hold it steady, and then wave the flag vigorously to start the race. The race starts when the starter WAVES the flag.

9.1 START/FINISH LINE

- 9.1.1 Shall be a line from the bottom of the snow bank on one side of the track to the bottom of the snow bank on the other side of the track **between the registration trailer and starter's stand** and through the infield pit lane.

9.2 LAST LAP SIGN

- 9.2.1 The starter shall show a last lap sign at the Start/Finish line to drivers commencing their last lap.

9.3 YELLOW FLAG PRACTICE

Practices for all classes shall start with yellow flags/lights displayed at all stations to allow cars to enter the track safely. Cars shall drive slowly until the yellow lights are removed and a green flag is displayed and on the front straight shall drive on the inside of the track.

9.4 RESTARTS

Should a race be stopped due to a red flag it shall be restarted if less than 80% of the laps have been completed by the leader. If fewer than two laps have been completed by the leader, the original grid positions with no vacant spaces shall be used for the restart and the complete race shall be run. If two or more laps have been completed by the lead Car, the race shall be gridded for a standing start with the Cars in single file in the order in which the Cars passed the start/finish line on the leader's last completed lap prior to the red flag.

Under no circumstances will any race be re-started until the track has been cleared of any and all obstructions, including cars stuck in the banks and debris on the track.

10.0 FINISHING

- 10.0.1 The race shall end when the checkered flag is displayed regardless of the number of laps completed.
- 10.0.2 Finishing positions shall be determined according to the number of laps completed regardless of whether or not the Car is running at the end of the race. 60% of the class winner's laps shall have been completed to be classed as a finisher.
- 10.0.3 Cars finishing a given number of laps shall be ranked in the order in which they completed that number of laps.
- 10.0.4 Cars shall be ranked on their last completed lap (part laps do not count). Drivers shall have 5 minutes to complete the lap they have started, after the race winner receives the checkered flag.

11.0 RESULTS

Provisional results from each race shall be posted on the registration trailers window so as to be viewed easily by competitors, within 30 minutes of that race and become final after a minimum of 30 minutes from the time posted. Final results shall be provided to the CASC-OR Ontario Region Office, the CASC-OR Ice Race Director, the Series Scorer, and competitors who request them.

12.0 INQUIRIES, PROTESTS, AND APPEALS

Any protest or appeal shall follow the procedures in the CASC-OR General Competition Rules. An Inquiry or a protest shall be submitted in writing within 30 minutes of the end of the race in question, except concerning results, where the submission shall be within 30 minutes of posting of results.

12.1 INQUIRIES

12.1.1 An INQUIRY is a written request, by a driver or official, using the Inquiry Form, to the Clerk of the Course or other official designated by the Clerk, to investigate improper behaviour of competitors, incorrect results, or improper actions of officials. The Clerk may investigate and take appropriate action. No fee is required. Inquiry forms shall be kept at the track for reference by officials and retained by CASC-OR.

12.1.2 An Inquiry is not a substitute for a protest. The competitor shall not use the Inquiry Form frivolously or to harass an official or other competitor. The Inquiry cannot request a Penalty. Protests are required for violations of vehicle or tire eligibility rules. The Inquiry Form may be used for submission of a Protest, accompanied by the Protest fee. The Clerk may use the Inquiry Form as a Request For Action.

12.1.3 *The results or decisions made in any enquiry shall be made known to the inquirer.*

12.2 PROTESTS

12.2.1 The protest fee shall be \$50.00.

12.2.2 The fee shall only be returned if the protest is deemed well founded or if so directed by the steward of the event.

12.2.3 More information on Protests can be found in the GCR's, paragraph 7

12.3 APPEALS

12.3.1 The appeal fee shall be \$100.00.

12.3.2 More information on Appeals can be found in the GCR's, Section 8.

13.0 ICE RACE ADVISORY NUMBER

13.0.1 The CASC-OR Ice Race advisory report telephone number is 416-667-9500 or 877-667-9505 Hotline 1

13.0.2 Information will be available beginning at 12:00 noon Friday before each event. New information and/or changes, cancellation, etc., shall be recorded as received from the organizers.

13.0.3 Always call the ice race advisory number before leaving for an event.

13.0.4 Organizers shall communicate race status to the CASC-OR office no later than Thursday before the event and finalize the status of the event no later than 11am Friday.

14.0 ICE RACE SERIES AWARDS

14.0.1 The Ice Race Series shall be run by CASC-OR and member clubs for the following awards:

- a) Rubber to Ice --Overall Champion
Permanent trophy donated by Peterborough Motor Sports Club. Keeper by CASC-OR
- b) Racing Studs (menards) --Overall Champion
Permanent trophy donated by British Automobile Racing Club. Keeper by CASC-OR
- c) Street Stud --Overall Champion
Permanent trophy donated by Toronto Tirecraft. Keeper by CASC-OR

- d) Overall Second Driver (rubber to ice)
Permanent trophy donated by Minden Kinsmen. Keeper by CASC-OR
 - e) Overall second driver (street studs)
 - f) Rookie of the Year (**rubber to ice**)
Permanent trophy donated by Less Rice and Bob Attrell. Keeper by CASC-OR
 - g) Rookie of the year (street studs)
 - h) **Female Rookie of the year. A permanent trophy in Memory of Marg Prentice, donated by Champion Spark Plugs. Keeper by CASC-OR**
 - i) ANSON, HINDEN & MINDEN Sportsman of The Year
Donated by the Municipality of Minden Hills. Keeper by CASC-OR
 - j) Tim Whitfield Trophy -- for highest placed **rubber to ice** four wheel drive Car
 - k) **Andy Hughes Memorial trophy A permanent trophy in Memory of Andy Hughes, donated by British Automotive Racing Club – Ontario Centre**
 - l) Class Winners -- Trophies shall be given by CASC-OR to the driver gaining the highest number of points within each class. Further trophies shall be awarded depending upon the average entry in each class: 1 trophy for 3 to 5 average entries, 2 trophies for 6 to 8 average entries, etc.
- 14.0.2 There shall be an average of three entries per race day during the series in order to receive a class trophy and score overall points.

All trophy winners are asked to return the trophy to the Ice Race Director by the fourth weekend of the race series.

15.0 SCORING

- 15.0.1 A driver shall be a member of a CASC-OR-OR affiliated club to score Championship points.
- 15.0.2 The Championship shall be contested in five divisions: Rubber to Ice, Racing Studs, Second Driver (rubber to ice), Street Stud and Second driver Street studs.
- 15.0.3 Points shall be awarded to the driver, not the Car, i.e. a driver may change Cars in mid season without endangering her/his overall position.
- 15.0.4 Drivers entering more than one class per event shall count the higher placing for overall points.
- 15.0.5 There shall be at least three starters per class in a race in order to award full points. Should there be two starters first place will receive 17 points and second will receive 15 points. One starter in a class will receive 13 points. To qualify for points the competitor must be classed as a finisher.

15.0.6 POINTS

Position	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18+
Points	25	22	19	17	15	13	12	11	10	9	8	7	6	5	4	3	2	1

15.0.7 THROWAWAYS

Drivers shall discard their worst points race results, including races not entered, according to the following schedule. A competitor shall not discard results of races from which he/she has been excluded. For a season with 21 – 28 races scored, discard 4 results; for 17 – 20 races discard 3 results; for 13 – 16 races discard 2 results; no discards for fewer than 13 races.

15.0.8 TIES

In case of a tie, the competitor with the greatest number of higher placing's shall be declared the winner. If still tied the best discarded result shall be used. If still tied after all results have been included a tie shall be declared.

15.0.9 A new system of scoring using percentages for overall championships will be implemented in the 2013 season.

16.0 RACE SCHEDULES

The list of Events, the organizing clubs, and the Event schedules are attached hereto. Organizing clubs may alter the schedules if conditions make this necessary, subject to the approval of the Steward of the Event. All Events are to be held at the Minden fairgrounds.


In the interest of consistency, any changes which combine classes will be made at the sole discretion of the Ice Race Director and approved by the steward(s)

Any and all changes to the race schedule shall be made public to all in attendance at the drivers meeting of the day and posted at the registration trailer.

APPENDIX A: NUMBERS


CASC-OR Approved
Ice Race Roof Numbers

Black #s
on White
Board




Recommended
Numerals

Futura Hv BT 0 1 2 3 4 5 6 7 8 9



APPENDIX B: WINDOW NETS



APPENDIX C: ROLL BAR SPECIFICATION

1.0 ROLL BARS

If a roll bar is desired, the following regulation should be followed.

1.0.1 Specific roll bar installations are subject to the approval of the Chief Scrutineer at each Event.

2.0 BASIC DESIGN CONSIDERATIONS FOR ALL BARS

2.0.1 The basic purpose of the roll bar is to protect the Driver if the Car rolls over or is involved in a serious accident.

2.0.2 The top of the roll bar shall be a minimum of two inches above the top of the Driver's helmet when the Driver is sitting in a normal driving position, or shall be located as near the roof as possible in closed Cars. The top of the roll bar shall not be more than ten inches behind the back of the Driver's helmet when the Driver is sitting in a normal driving position.

2.0.3 The roll bar shall be designed to withstand compression forces resulting from the weight of the Car coming down on the roll structure and to take fore-and-aft loads resulting from the Car skidding along the ground on the roll bar structure.

2.0.4 The two vertical members forming the sides of the main hoop shall extend the full width of the cockpit to provide maximum bearing area.

2.0.5 A system of head restraint to prevent whiplash and to prevent the Driver's head from striking the underside of the roll bar hoop shall be provided. The head restraint shall be capable of withstanding a force of 200 pounds in an aft direction. It is recommended that a headrest of approximately 36 square inches with resilient padding two inches thick be used.

2.0.6 Forward braces and portions of the main hoop subject to contact by the Driver's helmet (with Drivers seated normally and restrained by seatbelt/shoulder harness) must be padded with non-resilient material such as Ethafoam or Ensolite or other similar material with a minimum thickness of 1/2 inch.

3.0 DIMENSIONS AND MATERIALS FOR ALL BARS

3.0.1 The roll bar hoop and all braces shall be of seamless or ERW or DOM mild steel tubing, or chrome molybdenum alloy steel such as SAE 4125 or SAE 4130. It is recommended that mild steel tubing be used as chromium alloys present difficulties in welding and shall be normalized to relieve stress. Proof of the use of alloy steel will be the responsibility of the Entrant.

3.0.2 The size of tubing to be used shall be determined from the following table (all dimensions in inches).

Vehicle Race Weight	Roll Bar		Roll Cage	
	Mild Steel	Alloy Steel	Mild Steel	Alloy Steel
No driver	1.5 x .120	1.375 x .090	1.375 x .095	1.375 x .080
Under 1500 lbs.	1.75 x .120	1.625 x .095	1.500 x .095	1.375 x .095
1500-2500 lbs.	1.75 x .120	1.625 x .095	1.500 x .095	1.375 x .095
Over 2500 lbs.	2.25 x .120	2.00 x .095	1.500 x .120	1.500 x .095 or 1.750 x .095

3.0.3 An inspection hole of at least 3/16 inch diameter shall be drilled in a non-critical area of the roll bar hoop to facilitate verification of wall thickness.

3.0.4 Where bolts and nuts are used, the bolts shall be at least 3/8 inch diameter SAE Grade 5.

4.0 FABRICATION

- 4.0.1 One continuous length of tubing shall be used for the main hoop member with smooth, continuous bends and no evidence of crimping or wall failure.
- 4.0.2 All welding shall be of the highest possible quality with full penetration. Arc welding, particularly heliarc, shall be used whenever possible. Alloy steels shall be normalized after welding.

5.0 BRACING

- 5.0.1 Two fore/aft braces with tubing of dimensions of at least that required for the main hoop itself shall be installed.
- 5.0.2 Diagonal lateral bracing of tubing equal in dimension to the tubing of the main hoop shall be installed to prevent lateral distortion of the main hoop. In most cases, a lateral brace from the bottom corner of the main hoop on one side to the top corner of the main hoop on the other side is sufficient.
- 5.0.3 The fore/aft bracing shall be attached as near as practical to the top of the main hoop, no more than 6 inches below the top, and at an included angle of at least 30 degrees.

6.0 MOUNTING PLATES

- 6.0.1 In Cars with frame type construction, the roll bar and braces shall be attached to the frame of the Car wherever possible. Mounting plates attached to the frame, regardless of whether welded or bolted, shall be at least 3/16 inch thick.
- 6.0.2 In the case of Cars with unitized or frameless construction, or Cars with frames where frame mounting of the roll bar and braces is impractical, mounting plates shall be used to secure the roll bar structure to the floor of the Car. The minimum mounting plate area shall be 20 square inches. The important consideration is that the loads be distributed over as large an area as possible and as close to vertical structures as possible.
- 6.0.3 Mounting plates bolted to the structure shall not be less than 3/16 inch thick with a backup plate of equal size and thickness on the opposite side of the panel with the plates through-bolted together.
- 6.0.4 Mounting plates welded to the structure shall not be less than 0.080 inch in thickness. Wherever possible, the mounting plate should extend onto a vertical section of the structure such as a door pillar.

7.0 REMOVABLE ROLL BARS

- 7.0.1 Removable roll bars and braces shall be very carefully designed and constructed to be at least as strong as a permanent installation. If one tube fits inside another tube to facilitate removal, the removable portion shall fit tightly and shall bottom on the permanent mounting, and at least two bolts shall be used to secure such a joint. The telescope section shall be at least eight inches in length.

EXTRACT OF THE AGREEMENT BETWEEN MINDEN HILLS AND THE
KINSMEN CLUB OF MINDEN, INC.

"BE IT RESOLVED that the parks, Recreation, Culture and Public Relations Committee recommends to Council that permission be granted to The Kinsmen Club of Minden Inc. to hold the Ontario Region Ice Racing Series at the Minden Fairgrounds, during the 2013 winter season, subject to suitable water supply arrangements, provided that:

1. The Club files in the office of the Clerk, at least ten (10) days prior to each event, a copy of the liability insurance policy in effect for the activity adding the Municipality as an additional insured party;
2. The grounds are left in a clean and tidy condition;
3. All ice racing warm-ups and racing does not commence on Sundays until after 12:00 o'clock noon, and that the parking areas and Municipal roadways are not used by the participants for warm-ups or practice runs;
4. All vehicles are removed within two (2) weeks of the last race."

Note: The above agreement may be subject to change.